

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Original) A method of establishing a virtual private network tunnel, the method comprising:
 - receiving, from a user whose IP address is not known in advance, a first request to form an encrypted tunnel with a security gateway;
 - forming the encrypted tunnel;
 - authenticating the user;
 - determining an IP address of the user;
 - establishing a correspondence between the IP address and a first shared secret authorized for the user;
 - receiving a second request from the user to form a virtual private network tunnel, the request incorporating a second shared secret;
 - determining whether the first shared secret matches the second shared secret; and
 - forming the virtual private network tunnel when the first shared secret matches the second shared secret.
2. (Original) The method of claim 1, wherein the first request comprises a request to form a Hypertext Transfer Protocol over Secure Socket Layer session.
3. (Original) The method of claim 1, wherein the authenticating step comprises receiving and verifying a username/password pair from the user.
4. (Original) The method of claim 1, wherein the second request comprises a request to form an IPSec tunnel.

5. (Original) The method of claim 1, wherein the establishing step comprises comparing a username and password provided by the user with a database of usernames, passwords and shared secrets.
6. (Original) The method of claim 1, wherein the second request incorporates a hashing function based on the second shared secret.
7. (Original) The method of claim 1, wherein the step of determining whether the first shared secret matches the second shared secret comprises attempting to decrypt at least a portion of the second request.
8. (Original) The method of claim 1, wherein the establishing step comprises making an entry in an IPsec table, the entry comprising the IP address and the first shared secret.
9. (Original) The method of claim 8, wherein the entry is a temporary entry that is deleted after the occurrence of a predetermined event.
10. (Original) The method of claim 9, wherein the predetermined event comprises a passage of a predetermined time.
11. (Original) The method of claim 9, further comprising the step of tearing down the virtual private network tunnel when the temporary entry is deleted.
12. (Original) A computer program embodied in a machine-readable medium, the computer program comprising instructions for controlling a security gateway to perform the following steps:
 - receiving, from a user whose IP address is not known in advance, a first request to form an encrypted tunnel with a security gateway;
 - forming the encrypted tunnel;

authenticating the user;
determining an IP address of the user;
establishing a correspondence between the IP address and a first shared secret authorized for the user;
receiving a second request from the user to form a virtual private network tunnel, the request incorporating a second shared secret;
determining whether the first shared secret matches the second shared secret; and
forming the virtual private network tunnel when the first shared secret matches the second shared secret.

13. (Original) The computer program of claim 12, wherein the first request comprises a request to form a Hypertext Transfer Protocol over Secure Socket Layer session.

14. (Original) The computer program of claim 12, wherein the authenticating step comprises receiving and verifying a username/password pair from the user.

15. (Original) The computer program of claim 12, wherein the second request comprises a request to form an IPSec tunnel.

16. (Original) The computer program of claim 12, wherein the establishing step comprises comparing a username and password provided by the user with a database of usernames, passwords and shared secrets.

17. (Original) The computer program of claim 12, wherein the second request incorporates a hashing function based on the second shared secret.

18. (Original) The computer program of claim 12, wherein the step of determining whether the first shared secret matches the second shared secret comprises attempting to decrypt at least a portion of the second request.

19. (Original) A security gateway, comprising:

means for receiving, from a user whose IP address is not known in advance, a first request to form an encrypted tunnel with a security gateway;

means for forming the encrypted tunnel;

means for authenticating the user;

means for determining an IP address of the user;

means for establishing a correspondence between the IP address and a first shared secret authorized for the user;

means for receiving a second request from the user to form a virtual private network tunnel, the request incorporating a second shared secret;

means for determining whether the first shared secret matches the second shared secret;

and

means for forming the virtual private network tunnel when the first shared secret matches the second shared secret.

20. (Original) A security gateway, comprising:

a first port configured for communication with the Internet;

a second port configured for communication with a private network; and

at least one processor configured to:

receive, via the first port, a first request to form an encrypted tunnel with a security gateway from a user whose IP address is not known in advance;

form the encrypted tunnel;

authenticate the user;

determine an IP address of the user;

establish a correspondence between the IP address and a first shared secret authorized for the user;

receive a second request from the user to form a virtual private network tunnel, the request incorporating a second shared secret;

determine whether the first shared secret matches the second shared secret; and

form the virtual private network tunnel when the first shared secret matches the second shared secret.

21. (Canceled)